

# Fertilizer Spreaders

## BOLU



**ARMADA**  
Command Your Land

# **FERTILIZER SPREADERS BOLU MODEL**

**ROUND TYPE**  
BOLU-1 MODEL

**CORNERED TYPE**  
BOLU-1 MODEL  
BOLU-2 MODEL





## **BOLU 1, Fertilizer Spreader, Round Type, Mounted Type**

These machines are produced mounted types as single disc with 250-350 liters capacities. Mounted type machines are attached to tractors' universal three point linkage system and hydraulic lifting lever.





**Technical  
Details\***

**BOLU 1 - 250**

**BOLU 1 - 350**

Hopper capacity	l	250	350
Number of discs	pcs	1	1
Working width	m	14	14
Total width	W (mm)	900	960
Total length	L (mm)	1215	1215
Total height	H (mm)	1250	1305
Category		1	1
Required power	hp	35-40	40-44
Transmission type		1/1	1/1
Mixing system		Vertical	
PTO rotation	rpm	540	540
Total weight	kg	65	77

\* Armada reserves rights to change them without notice.



## **BOLU 1, Fertilizer Spreader, Cornered Type, Mounted Type**


Single disc Bolu Model fertilizer spreaders are mounted to tractor's universal three point linkage system. Capacity of single disc spreaders are between 500-600-800-1000 liters and the working width is 14m. Fertilizer spreading rate can be easily adjusted by means of the mechanical lever and shut off by means of mechanic or hydraulic ventsils.





Technical Details*		BOLU 1 500	BOLU 1 600	BOLU 1 800	BOLU 1 1000
Hopper capacity	l	500	600		
Number of discs	pcs	1	1		
Working width	m	14	14		
Total width (W)	mm	1400	1480		
Total length (L)	mm	1060	1110		
Total height (H)	mm	1200	1200		
Category		II	II		
Required power	hp	50-55	60-55		
Transmission type		1.25/1	1.25/1		
Mixing system		Vertical			
PTO rotation	rpm	540	540		
Total weight	kg	135	140		

\* Armada reserves rights to change them without notice.



## **BOLU 2, Fertilizer Spreader, Cornered Type, Mounted Type**



Double disc Bolu Model Fertilizer Spreaders are mounted to tractor's universal three point linkage system. Capacity of double disc spreaders are between 500-600-800-1000-1200-1500 liters and working width 18 m. Fertilizer spreading rate can be easily adjusted by means of the mechanical lever and shut off by means of mechanic or hydraulic ventsils.





Technical Details*		BOLU 2 500	BOLU 2 600	BOLU 2 800	BOLU 2 1000	BOLU 2 1200	BOLU 2 1500
Hopper capacity	l	500	600	800	1000	1200	1500
Number of discs	pcs	2	2	2	2	2	2
Working width	m	18	18	18	18	18	18
Total width (W)	mm	1700	1700	1700	1800	1800	1800
Total length (L)	mm	1150	1160	1170	1170	1170	1170
Total height (H)	mm	1050	1110	1200	1200	1350	1570
Category		II	II	II	II	II	II
Required power	hp	50-55	60-65	75-80	80-90	80-90	80-90
Transmission type		1/1					
Mixing system		Vertical					
PTO rotation	rpm	540	540	540	540	540	540
Total weight	kg	195	200	205	210	225	245

\* Armada reserves rights to change them without notice.









**ARMADA**

Agricultural Machinery