

Pneumatic Precision Planter
KONYA D /DF



ARMADA
Command Your Land

MAXIMUM P E R F O R M A N C E in different conditions

Konya planter units offer a number of advantages with respect to traditional planting unit: these include superior speed and, thanks to the dual levelling wheels, a constant planting depth which ensures that the plants emerge at exactly the same height.





Turbo Disc Trash Remover
Optional



Seed Press Wheel
Optional



Star Shaped Trash Remover
Optional

KONYA D, Pneumatic Precision Planter, Disc Type

Armada pneumatic precision planter enable the precise planting at the desired row spacing and intra-row distances. The machines can be manufactured with 4, 6, or 8 rows upon request.



Technical Details*		KONYA D4	KONYA D6	KONYA D8
Number of Rows	pcs	4	6	8
Total Width	mm	2800	4000	5600
Total Length	mm	2300	2300	2300
Total Height (H)	mm	1500	1500	1500
Seed Tank Volume	L	4 x 35	6x35	8x35
Disc Hole Diameter	mm		1-6	
Disc Number of Holes			Variable	
Distance Between Rows	mm		450-700-750	
Working Speed	Km/h		6-8	
Required Power	hp	70-80	90-110	110-130
Weight	kg	900	1200	1450

* Armada reserves rights to change them without notice.

OPTION Microgranulator



KONYA DF, Pneumatic Precision Planter, Disc Type with Fertilizer

Agromaster pneumatic precision planter enable the precise planting at the desired row spacing and intra-row distances. The machines can be manufactured with 4, 6, or 8 rows upon request.



Technical Details*		KONYA DF 4	KONYA DF 6	KONYA DF 8
Number of Rows	pcs	4	6	8
Total Width	mm	2800	4000	5600
Total Length	mm	2300	2300	2300
Total Height (H)	mm	1600	1600	1600
Seed Tank Volume	L	4 x 35	6x35	8x35
Fertilizer Tank Volume	L	2 x 160	2 x 200	2 x 240
Disc Hole Diameter	mm		1-6	
Disc Number of Holes			Variable	
Distance Between Rows	mm		450-700-750	
Working Speed	Km/h		6-8	
Required Power	hp	70-80	90-110	110-130
Weight	kg	1100	1400	1650

* Armada reserves rights to change them without notice.

OPTION Microgranulator





ARMADA

Agricultural Machinery